MATERIAL SAFETY DATA SHEET

Company Name:
Address:
C.R. LAURENCE CO., INC.
2503 E VERNON AVE
LOS ANGELES / CA / 90058

 US-CHEMTREC Phone(I):
 (800)424-9300

 US-CHEMTREC Phone(II):
 (703)527-3887

 CAN-CANUTEC Phone:
 (613)996-6666

 Vendor Update:
 9/11/2012

 Date Prepared:
 1/8/2013

MSDS Number: 3371100; 3371100LL40; 3371100LL60; 3371100PL;

I. CHEMICAL PRODUCT IDENTIFICATION

Product Name: Hi-SHEEN GLASS CLEANER 19 OZ.

HMIS Ratings:

Health: Slight(1)
Flammability: Slight(1)

Instability/Reactivity: Minimal(0)
Personal Protective Equipment: B

NFPA Ratings:

Other: EMERGENCY OVERVIEW:

CONTENTS UNDER PRESSURE. AEROSOL. PRESSURIZED CONTAINER

MAY EXPLODE WHEN EXPOSED TO HEAT OR FLAME. PROLONGED EXPOSURE MAY CAUSE CHRONIC EFFECTS.

II. COMPOSITION, INFORMATION ON INGREDIENTS Chemical C.A.S. **ACGIH TLV** OSHA PEL LD50 % By Other LC50 Ingredients Number Weight TWA/STEL TWA/STEL TWA/STEL 2-BUT0XYETHANOL 111-76-2 3-5 20 PPM 50 PPM Notes DIMETHYL ETHER 115-10-6 1-3 Notes ISOBUTANE 75-28-5 1-3 1000 PPM Notes NON-HAZARDOUS AND >90 OTHER COMPONENTS BELOW REPORTABLE LEVELS Notes

III. HAZARDS IDENTIFICATION PRIMARY ROUTE OF ENTRY

Eyes: HEALTH INJURIES ARE NOT KNOWN OR EXPECTED UNDER NORMAL USE.

Skin: THIS PRODUCT MAY BE HARMFUL IF IT IS ABSORBED THROUGH THE SKIN.

PROLONGED OR REPEATED CONTACT CAN RESULT IN DEFATTING AND DRYING OF THE SKIN WHICH MAY RESULT IN SKIN IRRITATION AND

DERMATITIS (RASH).

Ingestion: EXPOSURE BY INGESTION OF AN AEROSOL IS UNLIKELY. COMPONENTS OF

THE PRODUCT MAY BE ABSORBED INTO THE BODY BY INGESTION.

INTENTIONAL MISUSE BY CONCENTRATING AND INHALING THE PRODUCT

CAN BE HARMFUL OR FATAL.

Other: ROUTES OF EXPOSURE

INGESTION. SKIN CONTACT.

IV. FIRST AID MEASURES

Eyes: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15

MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS OR

PERSISTS.

Skin: IMMEDIATELY TAKE OFF ALL CONTAMINATED CLOTHING. WASH OFF WITH

WARM WATER AND SOAP, GET MEDICAL ATTENTION IF IRRITATION

DEVELOPS OR PERSISTS.

Ingestion: HAVE VICTIM RINSE MOUTH THOROUGHLY WITH WATER. IF INGESTION OF A

LARGE AMOUNT DOES OCCUR, CALL A POISON CONTROL CENTER

IMMEDIATELY.

Inhalation: IF SYMPTOMS DEVELOP MOVE VICTIM TO FRESH AIR. IF SYMPTOMS PERSIST,

GET MEDICAL ATTENTION.

V. FIRE FIGHTING MEASURES

Flash Point: $-156^{\circ}F(-104.4^{\circ}C)$ ESTIMATED

Extinguishing Agents: WATER FOG. FOAM. DRY CHEMICAL POWDER. CARBON DIOXIDE (C02).

Unusual Fire or Explosion VAPOR OR GAS MAY SPREAD TO DISTANT IGNITION SOURCES AND FLASH

Hazards: BACK.

Fire Fighting Procedures: IN THE EVENT OF FIRE AND/OR EXPLOSION DO NOT BREATH FUMES. WEAR

FULL PROTECTIVE CLOTHING, INLCUDING HELMET, SELF–CONTAINED POSITIVE PRESSURE OR PRESSURE DEMAND BREATHING APPARATUS, PROTECTIVE CLOTHING AND FACE MASK. CONTAINERS SHOULD BE COOLED

WITH WATER TO PREVENT VAPOR PRESSURE BUILD UP.

VI. ACCIDENTAL RELEASE MEASURES

Containment/Cleanup: METHODS FOR CONTAINMENT

ELIMINATE ALL IGNITION SOURCES (NO SMOKING, FLARES, SPARKS, OR FLAMES IN IMMEDIATE AREA). STOP LEAK IF YOU CAN DO SO WITHOUT RISK.

MOVE THE CYLINDER TO A SAFE AND OPEN AREA IF THE LEAK IS

IRREPARABLE. STOP THE FLOW OF MATERIAL, IF THIS IS WITHOUT RISK. PREVENT ENTRY INTO WATERWAYS, SEWERS, BASEMENTS OR CONFINED

AREAS.

METHODS FOR CLEAN UP

USE NON-COMBUSTIBLE MATERIAL LIKE VERMICULITE, SAND OR EARTH TO

SOAK UP THE PRODUCT AND PLACE INTO A CONTAINER FOR LATER

DISPOSAL.

SMALL SPILLS: WIPE UP WITH ABSORBENT MATERIAL (E.G. CLOTH, FLEECE).

CLEAN CONTAMINATED SURFACES THOROUGHLY.

VII. HANDLING AND STORAGE

Other: HANDLING: PRESSURIZED CONTAINER: DO NOT PIERCE OR BURN, EVEN AFTER

USE. DO NOT HANDLE OR STORE NEAR AN OPEN FLAME, HEAT OR OTHER SOURCES OF IGNITION. DO NOT USE IF SPRAY BUTTON IS MISSING OR DEFECTIVE. USE ONLY WITH ADEQUATE VENTILATION. DO NOT GET THIS MATERIAL IN CONTACT WITH EYES. DO NOT GET THIS MATERIAL IN CONTACT

WITH SKIN. AVOID PROLOGNED EXPOSURE.

STORAGE: LEVEL 1 AEROSOL.

CONTENTS UNDER PRESSURE. DO NOT PUNCTURE, INCINERATE OR CRUSH. KEEP AWAY FROM HEAT, SPARKS, AND FLAME. AVOID EXPOSURE TO LONG PERIODS OF SUNLIGHT. STORE IN COOL PLACE. KEEP THE CONTAINER DRY.

KEEP OUT OF THE REACH OF CHILDREN. DO NOT STORE, INCINERATE, OR HEAT THIS MATERIAL ABOVE 120 DEGREES FAHRENHEIT.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes: WEAR CHEMICAL GOGGLES.

Skin: WEAR APPROPRIATE CHEMICAL RESISTANT GLOVES. WEAR APPROPRIATE

CHEMICAL RESISTANT CLOTHING.

Respiratory: WHEN WORKERS ARE FACING CONCENTRATIONS ABOVE THE EXPOSURE

LIMIT THEY MUST USE APPROPRIATE CERTIFIED RESPIRATORS. IF PERMISSIBLE LEVELS ARE EXCEEDED USE NIOSH MECHANICAL

FILTER/ORGANIC VAPOR CARTRIDGE OR AN AIR-SUPPLIED RESPIRATOR.

Engineering: USE WITH ADEQUATE VENTILATION.

IX. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: CLEAR COMPRESSED LIQUEFIED GAS

Boiling Point: 203°F (95°C) ESTIMATED

pH: 10–11

Solubility in Water: PARTIALLY

Specific Gravity:0.9484 ESTIMATEDVapor Pressure:60-80 PSIG @ 70F

Physical State: LIQUID; FORM: AEROSOL

Volatile Content: 7.7%, 75 g/L, .06 LBS/GAL

Other: FLAMMABILITY (HOC): 4.0411 KJ/G ESTIMATED

FLASH BACK: NO.

X. STABILITY AND REACTIVITY

Stability: RISK OF IGNITION. STABLE AT NORMAL CONDITIONS.

Hazardous Decomposition NO HAZARDOUS DECOMPOSITION PRODUCTS ARE KNOWN.

Products:

Incompatible Products: NONE KNOWN

Conditions To Avoid: HEAT, FLAMMABLE AND SPARKS.

XI. TOXICOLOGICAL INFORMATION

Acute Toxicology Data: ACUTE LD50: 5835 MG/KG ESTIMATED, RAT, DERMAL.

Special Hazard SENSITIZATION:

Information: NOT EXPECTED TO BE HAZARDOUS BY OSHA CRITERIA.

REPRODUCTIVE EFFECTS

NOT EXPECTED TO BE HAZARDOUS BY OSHA CRITERIA.

TERATOGENICITY

NOT EXPECTED TO BE HAZARDOUS BY OSHA CRITERIA.

XII. ECOLOGICAL INFORMATION

Environmental Fate and COMPONENTS OF THIS PRODUCT HAVE BEEN IDENTIFIED AS HAVING

Distribution: POTENTIAL ENVIRONMENTAL CONCERNS.

XIII. DISPOSAL CONSIDERATIONS

Disposal Method: CONTENTS UNDER PRESSURE. DISPOSE OF THIS MATERIAL AND ITS

CONTAINER AT HAZARDOUS OR SPECIAL WASTE COLLECTION POINT. DO NOT INCINERATE SEALED CONTAINERS. DO NOT ALLOW THIS MATERIAL TO DRAIN

INTO SEWERS/WATER SUPPLIES. IF DISCARDED, THIS PRODUCT IS

CONSIDERED A RCRA IGNITABLE WASTE, D001. DIPSOSE IN ACCORDANCE

WITH ALL APPLICABLE REGULATIONS.

RCRA Class: D001: WASTE FLAMMABLE MATERIAL*

Other: *WITH A FLASH POINT <140°F.

XIV. TRANSPORT INFORMATION

D.O.T. Shipping Name: CONSUMER COMMODITY

D.O.T. Hazard Class: ORM–D, IMDG, AND IATA (SEE BELOW).

ORM-D: SHIPPING NAME: CONSUMER COMMODITY; PACKAGING EXCEPTIONS:

156,306; AND PACKAGING NON BULK: 156,306.

IMDG: SHIPPING NAME: AEROSOLS; HAZARD CLASS: 2.1; UN NUMBER: 1950; PACKAGING EXCEPTIONS: LTD QTY; ITEM: 5F; TRANSPORT CATEGORY: 2. IATA: SHIPPING NAME: AEROSOLS, FLAMMABLE; HAZARD CLASS: 2.1; UN NUMBER: 1950; PACKAGING EXCEPTIONS: LTD QTY; AND LABELS REQUIRED:

2.1.

XV. REGULATORY INFORMATION

EPA Sara Title III Chemical THIS PRODUCT IS A "HAZARDOUS CHEMICAL" AS DEFINED BY THE OSHA

Listings: HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - SECTION 313- EMISSION REPORTING

2–BUTOXYETHANOL, CAS# 111–76–2; 1.0% DE MINIMIS CONCENTRATION (APPLIES TO R–(OCH2CH2)N–OR', WHERE N = 1,2, OR , R=ALKYL C7 OR LESS, OR R = PHENYL OR ALKYL SUBSTITUTED PHENYL, R'= H OR ALKYL C7 OR LESS, OR OR' CONSISTING OF CARBOXYLIC ACID ESTER, SULFATE, PHOSPHATE,

NITRATE, OR SULFONATE, CHEMICAL CATEGORY N230)

OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA):

29 CFR 1910.1200 HAZARDOUS CHEMICAL: YES.

CERCLA (SUPERFUND) REPORTABLE QUANTITY: NONE

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA)

HAZARD CATEGORIES: IMMEDIATE HAZARD: YES DELAYED HAZARD: NO FIRE HAZARD: YES PRESSURE HAZARD: YES REACTIVITY HAZARD: NO

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCE: NO.

SECTION 311 HAZARDOUS CHEMICAL: YES.

Pennsylvania: U.S.-PENNSYLVANIA-RTK (RIGHT TO KNOW) LIST

2–BUTOXYETHANOL: CAS# 111–76–2; PRESENT. DIMETHYL ETHER: CAS# 115–10–6; PRESENT.

ISOBUTANE: CAS# 75-28-5; PRESENT.

Other: INVENTORY STATUS:

COUNTRY(S) OR REGION / INVENTORY NAME / ON INVENTORY (YES/NO)* CHINA / INVENTORY OF EXISTING CHEMICAL SUBSTANCES IN CHINA (IECSC) /

NO.

EUROPE / EUROPEAN INVENTORY OF NEW AND EXISTING CHEMICALS

(EINECS) / NO.

 $EUROPE / EUROPEAN \ LIST \ OF \ NOTIFIED \ CHEMICAL \ SUBSTANCES \ (ELINCS) / \ NO. \ JAPAN / INVENTORY \ OF EXISTING \ AND \ NEW \ CHEMICAL \ SUBSTANCES \ (ENCS) / \ NO. \ AND \ NEW \ CHEMICAL \ SUBSTANCES \ (ENCS) / \ NO. \$

NO.

KOREA / EXISTING CHEMICALS LIST (ECL) / NO. UNITED STATES AND PUERTO RICO / TOXIC SUBSTANCES CONTROL ACT (TSCA) INVENTORY / YES*.

*A "YES" INDICATES THAT ALL COMPONENTS OF THIS PRODUCT COMPLY WITH THE INVENTORY REQUIREMENTS ADMINISTERED BY THE GOVERNING COUNTRY(S).

XVI. OTHER INFORMATION

WARRANTY INFORMATION

THIS INFORMATION IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED USE AND DETERMINE WHETHER

THEY ARE APPROPRIATE.